MISSISSIPPI STATE DEPARTMI BUREAU OF PUBLIC WAT	ENT OF HEALTH 2015 MAY -6 AM 8: 37 ER SUPPLY ON 014 SSn. Jhe -
Lillannee Calendar YEAR 20 Water Supply No	SSn. The
10005 - 10008 List PWS ID #s for all Community Water Syst	tems included in this CCR
The Federal Safe Drinking Water Act (SDWA) requires each Commun Consumer Confidence Report (CCR) to its customers each year. Dependent of the CCR must be mailed or delivered to the customers, published customers upon request. Make sure you follow the proper procedures the copy of the CCR and Certification to MSDH. Please check all	nity public water system to develop and distribute a ending on the population served by the public water in a newspaper of local circulation, or provided to the when distributing the CCR. You must mail, fax or boxes that apply.
Customers were informed of availability of CCR by: (Attach of	copy of publication, water bill or other)
☐ Advertisement in local paper (attach copy ☐ On water bills (attach copy of bill) ☐ Email message (MUST Email the message ☐ Other	to the address below)
Date(s) customers were informed:/,/	/ /
CCR was distributed by U.S. Postal Service or other dire methods used	ect delivery. Must specify other direct delivery
Date Mailed/Distributed://	
CCR was distributed by Email (MUST Email MSDH a copy) As a URL (Provide URL As an attachment As text within the body of the email messa	
CCR was published in local newspaper. (Attach copy of published of Newspaper: Wayne Durty Y	shed CCR or proof of publication)
Date Published: 4 /30 / 15	
CCR was posted in public places. (Attach list of locations)	Date Posted: / /
CCR was posted on a publicly accessible internet site at the fo	llowing address (<u>DIRECT URL REQUIRED</u>):
CERTIFICATION I hereby certify that the 2014 Consumer Confidence Report (CC public water system in the form and manner identified above at the SDWA. I further certify that the information included in this the water quality monitoring data provided to the public was Department of Health, Bureau of Public Water Supply. Name/Title (President, Mayor, Owner, etc.)	nd that I used distribution methods allowed by CCR is true and correct and is consistent with ter system officials by the Mississippi State
Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215	May be faxed to: (601)576-7800 May be emailed to:
	water.reports@msdh.ms.gov

HIVEO-WATER SUPPLY

2015 APR 27 PM 4: 18

2014 Annual Drinking Water Quality Report Hiwannee Water Association, Inc. PWS#: 770005 & 770008

April 2015

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Lower Wilcox Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Hiwannee Water Association have received a lower susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact Sarah Doby at 601-735-5249. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Thursday of the month at 8:30 AM at 929 Wayne Street, Waynesboro, MS 39367.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during the period of January 1st to December 31st, 2014. In cases where monitoring wasn't required in 2014, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contaminatio		
Microbiolo	gical Co	ontamin	ants							

									and electronics production wastes
10. Barium	N	2013*	.035	.010035	ppm		2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2013*	3.5	2.9 – 3.5	ppb		100	10	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2012/14	.5	0	ppm		1.3	AL=1	 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2013*	.56	.35556	ppm		4		4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2012/14	3	0	ppb		0	AL=	15 Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2013*	3.2	2.9 - 3.2	ppb		50		Discharge from petroleum and metal refineries; erosion of natura deposits; discharge from mines
Disinfection	n By-	Products	14	5 - 14	ppb	0		60	By-Product of drinking water
									disinfection.
82. TTHM [Total trihalomethanes]	N	2014	75.34	38.6 – 75.34	ppb	0		80	By-product of drinking water chlorination.
Chlorine	N	2014	.7	0 - 3	Mg/I	0	MDR	L = 4	Water additive used to control microbes

PWS #: 07	70008			TEST RE	SULTS			
Contaminant	Violation Y/N	Date Collected	Level Detecte	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCI	L Likely Source of Contamination
Microbiolo	gical C	ontamii	nants					
Total Coliform Bacteria	N	January	Positive	2	NA	ı	0 pr	resence of coliform bacteria in 5% of monthly samples
Inorganic (Contam	inants						
8. Arsenic	N	2013*	.5	No Range	ppb	n/	а	10 Erosion of natural deposits; runor from orchards; runoff from glass and electronics production waste
10. Barium	N	2013*	.0275	No Range	Ppm		2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2013*	3.6	No Range	ppb	10	0 1	100 Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2012/14	.2	0	ppm	1.:	3 AL≕	1.3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2013*	.608	No Range	ppm		4	Erosion of natural deposits; wate additive which promotes strong teeth; discharge from fertilizer an aluminum factories
17. Lead	N	2012/14	3	0	ppb	ı	0 AL=	=15 Corrosion of household plumbing systems, erosion of natural deposits
Disinfection	n By-Pi	roducts						
81. HAA5	N	2014	20	10- 20	ppb	0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	Y	2014	145.03	97 – 145.03	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2014	.9	.05 – 3	ppm	0 M	IDRL = 4	Water additive used to control microbes

Microbiological Contaminants:

- (1) Total Coliform. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.

 Disinfection By-Products:
- (82) Total Trihalomethanes (TTHMs). Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

We routinely monitor for the presence of drinking water contaminants. On system # 0770005 - We took four samples for coliform bacteria during June 2014. Three of those samples showed the presence of coliform bacteria. The standard is that no more than 1 sample per month of our samples may do so. Also, the law requires that valid resamples be collected for each positive sample within 24 hours. We did not collect the required resamples within the required time and this caused our system to not receive credit for the first three resamples collected. We did not find any bacteria in our subsequent testing which shows that this problem has been resolved. On system # 0770008 - We took two samples for coliform bacteria during January 2014. Two of those samples showed the presence of coliform bacteria. The standard is that no more than 1 sample per month of our samples may do so. We did not find any bacteria in our subsequent testing which shows that this problem has been resolved.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period. Testing results on show that our system exceeded the standard, or maximum contaminant level (MCL) for Disinfection By-Products. Our systems exceeded the MCL for TTHM in 2013.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Hiwannee Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Please note: this report will not be mailed to customers individually, it will be published in local paper.

77/05 4 77/08 2015 MAY -6 AM 8: 37

AFFIDAVIT WAYNE COUNTY NEWS PO BOX 509 WAYNESBORO, MS 39367 DATE: 4/30/2015 HIWANEE WATER ASSOCIATION 929 WAYNE ST WAYNESBORO, MS 39367 P.O. NO \$381.00 2014 ANNUAL DRINKING WATER QUALITY REPORT Sare Kan Being sworn, says that he is <u>Publisher</u> of the Wayne County News, which publishes a weekly newspaper in the County of Wayne, State of Mississippi: and the attached notice appeared in the issue(s) of the Wayne County News. Volume Publish Dates_ APR. 30, 2015 125

Notary Public My Commission Expires_

Llois

WE APPRECIATE YOUR BUSINESS FOR BILLING INQUIRES-CALL (601-735-4341)

1014-15

201	4 Annual I	Drinking	Water	Quality	Report
	Hiwanne	e Water	Associ	ation, f	nc.
	PWS	# 7700	05 & 77	8000	
		April	2015		

6. They are held on the first Throughdy of the monits at 820 M/m at 920 W/m 20 feet, Wegnesbook, MS 39307 M/m 20 W/m 2

In this table you will find many (Arms and abbreviations you might not be familiar with. To help you better understand those terms provided the following definitions:

According the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in a water. MCLs are set as close to the MCLGs as feasible using the best evallable treatment (schnology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the leval of a contaminant in drinking water below which then known or expected risk to health. MCLGs allow for a margin of safely. Maximum Residual Disinfectant Level (MRDL) — The highest level of a disinfectant atlowed in drinking water. There is com-evidence that addition of a disinfectant is necessary for control microbial contaminants.

Meaning Residual Distriction Level Goal (MRDLG) — The level of a bitching water districted below which there is no kn expected risk of health. MRDLGs do not reflect the benefits of the use of districtions to control microbial contaminants.

PWS#: 07	70005			TEST RE	SULTS			
Contaminant re	Violation , Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Messurement	MCLG	MCL	Likely Source of Cohlamina
Microbiolo	gical C	ontamin	iants	1				
1. Total Colform Bacterie	N	June	Positive & Monitoring	1 6			ba	ce of colform Naturally pro cleria in 5% of In the enviro
Inorganie (Contam	inants				Cign		
8. Arsenic	N	2013*	7 -	87	gob	r/a	10	Eroston of natural deposits from orchards, runoff from and electronics production
10. Barium	N	2013*	.035	.010 - 035	эрт	2	2	Discharge of driving wastes discharge from metal refre arosion of natural deposits
13. Chromken	N	2015*	3.5	2.9-3.6	pab	100	100	Discharge from steel and p
14. Cooper	N	2012/14	5	0	ppm	1.3	AL+13	Corrosion of household plu systems, erosion of natural departs; learning from wo preservatives
18. Filodo	N	2013'	.56	355 - 58	ppm	4	4	Erpsion of natural deposits additive which promotes sit teeth; discharge from fertill and staminum factories
17. Leed	N	2012/14	3	0	ppb	0	AL=15	
21. Selenfum	N .	2013*	3.2	2,9 - 3,2	ppb	50	50	Discharge from patroleum a

Disinfectio	n By	Produc	ts					
81, HAAS	N	2014	14	5.14	996	0	60	By-Product of drinking water distribution.
B2. TTHM Total rhakomethanes	N	2014	75.34	388-7634	ppb	0	80	By-product of drinking water chloridation.
Chlorine	H	2014	.7	0-3	Mot	0	MDRL +4	Water additive used to control microbias
(58) E/E/E	C. 1887a.	0.000	V 34 44 50	9880000	200		er in s	
PWS #: 07	7000	8		TEST	RESULTS		4.0	
Conteminant	Viola			rei Ranga i			G MC	Likely Source of Contemination

PWS #: 077	0008			TEST RE	SULTS		2.0			
Conteminant	Violetion Y/N	Date Collected	Level Delected	Range of Datects or # of Sumples Exceeding MCUACL	Unit Measurement	MCL	g HC		Likely Source	of Contamination
Microbiolo	gical C	ontami	nants							
1. Total Coliform Bacteria	N	January	Pasitire	2	NA .		10 0	ba	nce of collorn clene in 5% of mility samples	Naturally planent in this environmen
Inorganic (ontan	oinants								
B. Arsenic	N	20131	.5	No Range	ppb		n/a	10	from orchards	ural deposits; runof : runoff from glass :s production waste:
10. Barlum	N	2013*	02/5	No Range	Ppm		2	2	Discharge of drilling wastes: discharge from metal reflected erosion of natural deposits	
13, Chromium	N	2013*	3,8	Nó Range	ppb		100	100	Discharge from elser and purp mile; ergains of natural depos	
14, Copper	H	2012/14	.2	0	ppm		1.3 AL	11.3	Coffosion of household plans systems: erosion of nebral deposits, leaching from wood preservatives	
18 Fluoride	H	2013	808	No Range	pom		1	•	additive which	turel deposits; water i promotes strong ge from fertifizer is factories
17, L446	N	2012/14	3	0	pp8		0 AL	4(5	Corresion of a systems, are deposits	rousehold plumbing sion of natural
Disinfectio	n Bv-P	roducts								
81. HAA5	N	2014		10-20	peb	0	60		y-Product of dri	nking water
82. TTHM [Total tritalomethanes]	Y	2014	145.03	97 = 145.03	pob	0	80	٥	r-product of drinking welst defination	
Chickine	H	2014	9	.05 ~ 3	ppm	0	MORE = 4		Valer additive u: Norobes	sed to control

Moss recent sample. No sample required for 2014

Mitrobiological Contemberatus
(1) Total Coliform: College are bacteria shall are neuroally present in the environment and are used as an indicator that other, potentially-hasterial, bacteria may be execut Coliforms where though an interpretable and this was a warring of potential products.

(82) Total Tribulamechanes (TTIMs). Some people who dink water containing inhalomenhauts in excess of the MCL over many years may experience problem with their liver, kidneys, or control nervous systems, and may have an increased risk of getting cancer.

We notatively monitor for the presence of divisiony water contaminants. On yalem # 6.070005. We took four samples for colfiders became during, under 2014. Three of horse samples showed the presence of coldinary became became the contaminants of the control terms of the control term

Vie zer required in modelny pour déniètiqu versier for specific constituents on a monthly basis. Results of require motificing an air. indicator of verbere or not our clientifiqu vezer mees health shandest. In an effort de results yetterns complete et modelloin requirements. NSCH now notifies systems of any missing samples price to be ent of the completing period. The plant of the properties of the completing period of the properties of the period of the completing period. The period of the completing period of the period of the completing period of the period of the

If present, alvoyade levels of load care clause scinious health problems, sepocially for pregnant women and young children. Leaf if the concept were to primary from members and compressed securious white service interes and brown primary. Duri World Associations is expected to the control of the control o

All sources of directing water are subject to potential containmentation by substances that also materially occurring or man mode. These solutioness can be microsed, program or originate cereminates and endoughour obstances. And inclining water, includingly operated water may reasonably be reported to location at microsed and originates of the control of the contr

Some people may be more volverable to confinements it including where them the general production. Immunip compromised periods such expension with cancer underlight chimoloheapy, personal win lower undergone organ tumoripations, people with PIAVIOS or other immunity explain disorders; zone eldory, and inflants can be particularly at this from inflations. These people should seek about people of the peo

The Hiwannes Water Association works around the clock to provide top quality water to every tap. We ask that all our customers half

Please note: this report will not be mailed to customers individually, it will be published in local paper

77/08